





M18 FUEL™

DRIVEN TO OUTPERFORM.™



**POWERSTATE
BRUSHLESS MOTOR**



**REDLINK PLUS
INTELLIGENCE**



18
GA
BRAD NAIL



REDLITHIUM™-ION

**REDLITHIUM-ION
BATTERY PACK**

M18 FN18GS
**M18 FUEL
18GA
FINISH
NAILER**

**CONSISTENT
CLEAN
NAIL HOLES**

**COMPACT
SIZE**

**ZERO
RAMP-UP
TIME**



DRIVEN TO OUTPERFORM.

M18 FUEL is engineered for the most demanding tradesmen in the world. Delivering unrivaled performance in a compact structure, all M18 FUEL products feature three MILWAUKEE exclusive innovations - the POWERSTATE Brushless Motor, REDLITHIUM-ION Battery Pack and REDLINK PLUS Intelligence Hardware and Software - that deliver unmatched power, run-time and durability. Simply put, the M18 FUEL 18Ga Finish Nailer rivals the performance of pneumatic 18 Gauge Brad Nailers.

M18 FUEL

TOOL FREE JAM CLEARING LATCH

- Easy to access to striker to clear any jams that occur

NITROGEN AIR SPRING MECHANISM

- Delivers pneumatic-like nailing power & speed with no maintenance

PRECISION POINT TIP

- Accurate placement of nails with clear line of site to material

ANGLED BATTERY

- Allows tool to stand securely on battery

LED LIGHT

- Improved visibility in low light situations

REVERSABLE BELT HOOK

- Pneumatic style belt hook to easily hang on pouch or belt



RE-DESIGNED USER INTERFACE

- Power on/off button, firing mode select, low battery indicator LED



TOOL FREE DRIVE DEPTH ADJUSTMENT

- Easily change depth setting for different length nails & material density




ON BOARD TIP STORAGE

- On tool storage for additional tip styles

M18 FUEL 18GA FINISH NAILER

GENERATES CORDED POWER

CONSISTENTLY DRIVES NAILS SUBFLUSH



HARDWOODS

SOFTWOODS



CLEAN NAIL HOLES

- **POWERSTATE**
Brushless Motor provides the power to sink nails subflush in both softwoods and hardwoods
- No unintended material damage

COMPACT SIZE

CLEAR LINE OF SIGHT FOR ACCURATE NAIL PLACEMENT



- Reduced size for increased access in corners and tight spaces

ZERO RAMP-UP TIME

READY TO FIRE



FIRES IN
0.05
SECONDS



- No delay between trigger pull and nail fire
- Fires 3 nails per second



SPECIFICATIONS

DESCRIPTION	SPECIFICATIONS
Fastener Diameter	1.02 mm (18 gauge)
Collation angle	0°
Magazine Capacity	110 nails
Fastener type	Brad

DESCRIPTION	SPECIFICATIONS
Mode	Sequential / Bump
Fastener Length	15 – 54 mm
Weight (w/2.0Ah battery)	2.9 kg



Nothing but **HEAVY DUTY**

MILWAUKEE TOOL

Milwaukee Electric Tool Corporation

BROOKFIELD, WI 53005

USA

Tel: +1 (262) 781-3600 • Fax: +1 (262) 790-6333

Milwaukee Asia Office

29/F, Tower 2, Kowloon Commerce Centre,
51 Kwai Cheong Road, Kwai Chung, Hong Kong

Tel: +852-2492-2181 • Fax: +852-2490-4778

Distributed by:

16/12/2019

All data incl. service and warranty conditions as well as product range are subject to change without notice. Pictures not binding. No liability for printing errors or mistakes. © 2019 Milwaukee Electric Tool Corporation. All trademarks are owned by Techtronic Cordless GP unless otherwise stated.

www.milwaukeetool.asia